

Directions: Solve 5 of the following 6 problems. All written work must be your own, using only permitted sources. See the “General Guidelines and Advice” on the homework page for more details.

1. For $n \geq 4$, determine the maximum number of edges in an n -vertex graph G in which every pair of cycles shares a common edge.
2. A *doubly stochastic matrix* Q is a nonnegative real matrix in which every row and every column sums to 1. Prove that a doubly stochastic matrix Q can be expressed as $Q = c_1P_1 + \cdots + c_mP_m$ where c_1, \dots, c_m are nonnegative real numbers summing to 1 and P_1, \dots, P_m are permutation matrices. For example,

$$\begin{pmatrix} 1/2 & 1/3 & 1/6 \\ 0 & 1/6 & 5/6 \\ 1/2 & 1/2 & 0 \end{pmatrix} = \frac{1}{2} \begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix} + \frac{1}{6} \begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix} + \frac{1}{3} \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix}$$

Hint: Use induction on the number of nonzero entries in Q .

3. Determine the maximum number of edges in a bipartite graph that contains no matching with k edges and no star with l edges. (Your answer should provide a construction and prove it is best possible.)
4. For $k > 0$, let G be a k -regular graph of even order that remains connected whenever $k - 2$ edges are deleted. Prove that G has a 1-factor.
5. Connectivity and perfect matchings.
 - (a) Let G be an r -connected graph of even order having no $K_{1,r+1}$ as an induced subgraph. Prove that G has a 1-factor.
 - (b) For each r , construct an r -connected graph of even order that does not contain an induced copy of $K_{1,r+3}$ and has no 1-factor.

(Comment: this leaves unresolved whether every r -connected graph of even order without an induced copy of $K_{1,r+2}$ has a 1-factor. Note: when the number of vertices is even, the inclusion bigraph between $(r-1)$ -sets and r -sets in $[2r]$ is a candidate for a sharpness example. This graph has no induced K_{r+2} and no perfect matching. Probably it is r -connected. Can you prove it?)

6. Let v be a vertex of a 2-connected graph G . Prove that v has a neighbor u such that $G - u - v$ is connected. Find a 2-edge-connected graph G that has a vertex v such that for each neighbor u of v , the graph $G - u - v$ is disconnected.